

BLANK PAGE



Indian Standard

SPECIFICATION FOR HANDLOOM COTTON CELLULAR SHIRTING

(First Revision)

First Reprint SEPTEMBER 1998

UDC 677.21.064:687.241

© Copyright 1982

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Indian Standard

SPECIFICATION FOR HANDLOOM COTTON CELLULAR SHIRTING

(First Revision)

Handloom and Khadi Sectional Committee, TDC 13

Chairman

Representing

Commissioner for Handlooms. DEVELOPMENT COMMISSIONER FOR Development New Delhi HANDLOOMS.

Vice- Chairman

DIRECTOR OF HANDLOOMS AND Directorate of Handlooms and Textiles, Government of Tamil Nadu, Madras TEXTILES

Members

JOINT DIRECTOR OF HANDLOOMS AND TEXTILES (Alternate to

Director of Handlooms & Textiles)

SHRIP. C. AGARWAL

SHRI K. NAGARAJAN (Alternate) SHRI A. T. BASAK

SHRIA. R. HALDAR (Alternate) SHRI PARITOSH DAS

Suri P. K. Das (Alternate) SHRT L. DESI GOWDA

SHRI B. B. GUPTA

SHRI G. D. BANERJEE (Alternate)

SHRI T. MAHADEVAN SHRI K. MANIVANAN

SHRI C. R. YADAV (Alternate) SHRI A. I'. NAMBIAR

SHRI G. S. NAIR (Alternate)

Ministry of Defence (R&D)

Directorate General of Supplies & Disposals (Inspection Wing), New Delhi

Directorate of Industries, Government of West Bengal, Calcutta

Development Commissioner of Handlooms, New Delhi

Government of Uttar Pradesh

Handloom Export Promotion Council, Madras Directorate of Industries. Government of Haryana, Chandigarh

Kerala State **Handloom** Development Corporation Ltd. Cannanore

(Continued on page 2 j

C Copyright 1982 BUREAU OF INDIAN STANDARDS

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 1101 - 1981

(Continued from page 1)

Members

Representing

SHRIR. S. PRAYAG

Development Commissioner for Handlooms. New Delhi

SHRI M. G. RAJAN

Textiles Committee, Bombay

SHRI A. S. RAMA RAO (Alternate) Shri S. Rangarajan

Handicrafts and Handlooms Export Corporation of India Ltd. Madras

SHRIT. RANGASWAMY

Mills' The Southern India Association.

REGIONAL MANAGER

Coimbatore Andhra Pradesh State Handloom Weavers' Co-

REPRESENTATIVE

operative Society Ltd, Vijayawada

SECRETARY SHRI A. RAJAMANI (Alternate)

Khadi and Village Industries Commission, Bombay All India Handloom Fabrics Marketing Co-operative Society Ltd, Bombay

SENIOR EXECUTIVE & SPECIAL OFFICER. SENIOR MANAGER (PRODUCT DEVELOPMENT) (Alternate)

The Tamil Nadu Handloom Weavers' Co-operative Society Ltd, Madras

SHRI K. VIDYA SAGAR

Andhra Pradesh State Textile Development Corporation Ltd, Hyderabad Ministry of Defence (DGI)

SHRI D. R. YADAV
SHRI K. R. GARG (Alternate) SHRI S. M. CHARRABORTY, Director (Tex)

Director General, IS1 (Ex-officio Member)

Secretary

SHRI S. BANERJI Deputy Director (Tex), ISI

Handloom and Khadi Cotton Cloth Subcommittee, TDC 13:1

Convener

Commissioner for Handlooms. PRENCIPAL, INDIAN INSTITUTE OF Development HANDLOOM TECHNOLOGY, New Delhi Varanasi

Members

SHRIA. T. BASAK

Directorate General of Supplies & Disposals (Inspection Wing), New Delhi

SHRI A. R. HALDAR (Alternate) SHRI L. DESI GOWDA

Development Commissioner for Handlooms. New Delhi

SHRI J. S. GREWAL

Directorate of Industries, Government of Punjab, Chandigarh

SHRI MOHINDER SINGE (Alternate SERI B. B. GUPTA

Government of Uttar Pradesh

SHRI G. D. BANERJEE (Alternate)

(Continued on page 13)

Indian Standard

SPECIFICATION FOR HANDLOOM COTTON CELLULAR SHIRTING

(First Revision)

O. FOREWORD

- **0.1.** This Indian Standard (First Revision) was adopted by the Indian Standards Institution on 9 November 1981, after the draft finalized by the **Handloom** and Khadi Sectional Committee had been approved by the Textile Division Council.
- 0.2 This standard, which was first published in 1957, ha s been revised in order to make it up-to-date. Important changes carried out in the standard are:
 - a) deletion of breaking strength values since the standard recommends the use of yarn conforming to IS:171-1973*; and.
 - b) inclusion of inspection, marking and packing clauses.
- 0.3 Standards of Weights and Measures Act, 1976 sti-pulate the use of International Systems of Units in the country; in order to familiarize the industry with this system, the recommended SI units for use in the textile industry are given in Appendix A.
- **0.4** For the purpose-of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the **resu!t** of a test, shall be rounded off in accordance with IS: 2-1960†. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard prescribes the constructional particulars and other requirements of two varieties of **handloom** cotton cellular shirting, bleached, dyed, striped or check.

^{*}Specification for grey cotton yarn (second revision).
†Rules for rounding off numerical values (revised).

IS: 1101 - 1981

1.2 This standard does not specify the general appearance, feel, finish, shade, etc, of the cloth (see *also* 3.3).

2. MANUFACTURE

- 2.1 Yarn The cotton yarn used in the manufacture of shirting should be satisfactory in evenness and reasonably free from neps and spinning defects. The yarn shall conform to Grade 'C' of IS:171-1973*.
- 2.2 Cloth The shirting shall be free from dressing and filling materials and from substances liable to cause subsequent tendering.

3. REQUIREMENTS

- 3.1 The construct ional particulars of shirting shall conform to those given in Table 1.
- 3.2 The colour fastness ratings and other requirements of shirting shall conform to those given in Table 2.
- 3.3 If in order to illustrate or specify the indeterminable characteristics such as general appearance, lustre, feel, and shade of the shirting, a sample has been agreed upon and sealed, the supply shall be in conformity with the sample in such respects.
- 3.3.1 The custody of the sealed sample shall be a matter of prior agreement between the buyer and the seller.

4. INSPECTION

- 4.1 The shirting when visually inspected should be reasonably free from the following defects:
 - a) More than two adjacent ends running parallel, broken or missing and extending 'beyond 20 cm;
 - b) Weft crack or more than two missing picks across the width of the mater ial;
 - c) Prominently noticeable weft bar due to the difference in war material, count, twist, lustre, etc;
 - d) Noticeable selvedge defects;
 - e) Noticeable warp or weft float in the body;
 - f) Noticeable oil or other stains;
 - g) Noticeable hole, cut or tear up to 3 mm in size;

^{*}Specification for grey cotton yam ($\ensuremath{\mathsf{second}}$ revision).

- h) Smash rupturing the texture of the fabric;
- j) Undressed snarls noticeable throughout the piece;
- k) Conspicuous gout due to foreign matter usually lint or waste woven into cloth;
- m) Conspicuous broken pattern; and
- n) Any other flaw which would mar the appearance or affect the serviceability and/or durability of the cloth.
- 4.1.1 A reference may be made to IS :4125-1967* for details of these defects.

5. MARKING

- **5.1** The shirting shall be suitably marked or labelled with the following information:
 - a) Name of the material and variety number;
 - b) Manufacturer's name, initials or trade-mark;
 - c) Length and width of the piece; and
 - d) Count of warp and weft yarn.
 - **5.1.1** The product may also be marked with Standard mark.
- 5.2 The use of the Standard Mark is governed by the provisions of the *Bureau of Indian Standards Act*, 1986 and the Rules and Regulations made thereunder. The details of conditions under which the licence for the use of Standard Mark may be granted to manufacturers or producers may be obtained from the Bureau of Indian Standards.

6. PACKING

6.1 Unless otherwise agreed upon by the buyer and the seller, the shirting shall preferably be packed in bales or cases in conformity with the procedure laid down in IS :1347-1972 \dagger or IS : 293-1980 \ddagger .

^{*}Glossary of terms pertaining to defects in fabrics.

[†]Code for inland packaging of cotton cloth and yarn (first revision).

[‡]Code for seaworthy packaging of cotton cloth and yarn (third revision).

TABLE 1 CONSTRUCTIONAL PARTICULARS OF HANDLOOM COTTON CELLULAR SHIRTING

			(Glause 3.	1)			
Variety No.	Count of Yarn (Cotton Count (Un)		Ends/ cm	Picks/ cm	Length	WIDTH	W EAVE
	Warp	Weft					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
					m	cm	
1*	20s (30 tex)	14s (42 tex)	28	18	20 or as	70, 75 or as	4 end Cel- lular
2	30s/2 (20 tex x 2)	10s (59 tex) or 12s (50 tex)	20	18	declared	agreed	3 x 3 Mock Leno
Tolerance, percent			±5	±5	See Note 2	±2	_
Method of Tert	_	_	IS :196	63-1981†	IS : 1954	-1969‡	Visual

Note 1 — Count of yarn is given for guidance only.

Note 2 — The length shall be not less than the declared or marked value.

†Methods for determination of threads per unit length in woven fabrics (second recision). **1Methods** for determination of length and width of fabrics (first revision).

^{*}In case of variety No. 1, the use of 2-fold warp yam whose equivalent count is equal to the count of the single warp yam is permissible.

TABLE 2 REQUIREMENTS OF HANDLOOM COTTON CELLULAR SHIRTING

(C'ause 3.2)

SŁ No.	CHARACTERISTIC	Requirement	METHOD OF TEST
(1)	(2)	(3)	(4)
i) Col	our fastness to:		
	a) Light	5 or better	IS: 24541967'
	b) Washing : Test 4	4 or better	IS :765-1979†
c) Bleaching		4 or better 4 or better	IS :762-1956‡
	d) Perspiration	4 or better 3	IS: 971-1956§
	mensional change, percent, <i>Max</i>	4	IS: 2977-1964
iii) Sco	uring loss, percent, <i>Max</i>	2.5	IS :1383-1977¶ (Mild Method)

NOTE-The rating specified is in accordance with IS: 6906-1982**, which is the basic document on colour fastness to various agencies.

*Method for determination of colour fastness of textile materials to artificial light (xenon lamp).

†Method for determination of colour fastness of textile materials to washing: Test 4 (revised);

#Method for determination of colour fastness of textile materials to hypochlorite bleaching.

Method for determination of colour fastness of textile materials to perspiration.

 $\|Method$ for determination of dimensional changes of woven fabrics (other than wool) on soaking in water.

¶Method for determination of scouring loss in grey and finished cotton textile materials (first revision).

**Requirements for colour fastness of handloom cotton textiles (first revision).

7. SAMPLING

- 7.1 Lot -The quantity of handloom cotton cellular shirting of the same variety, width and colour delivered to a buyer at a time shall constitute a lot.
- 7.2 To ascertain the conformity of the lot to the requirement of this standard, sample shall be drawn and inspected from each lot separately.

IS: 1101 - 1981

7.3 The number of pieces to be selected at random for inspection shall be in accordance with Table 3.

TABLE 3 SAMPLE SIZE AND PERMISSIBLE NUMBER OF NON-CONFORMING PIECES

LOT SIZE	Sample size	Permissible Number of Non-con- forming Pieces	Sub-sample Size	PERMISSIBLE No. of Non- Conforming PIECES
(1)	(2)	(3)	(4)	(5)
Up to 25	3	0	2	0
26 ,, 50	5	0	2	0
51 ,, 150	8	0	3	0
151 , 300	13	1	3	0
301 •• 500	20	1	5	0
501 , 1000	32	2	8	1
1 001 and above	50	3	8	1

7.4 Number of Tests and Criteria for Conformity

Characteristic	Number of Tests	Criteria for Conformity	
Visual inspection, ends, picks, length and width	According to col 2 of Table 3	Number of non-conforming pieces not to exceed corresponding number given in col 3 of Table 3	
Dimensional change	According to col 4 of Table 3	Number of non-con- forming pieces not to exceed corresponding number given in col 5 of Table 3	
Colour fastness to washing, bleaching, perspiration and scouring loss	do	All the test specimens meet the corresponding requirements	
Colour fastness to light	2 for lot size of 300 or less and 3 otherwise	do	

IS: 1101 - 1981

APPENDIX A

(Clause **0.3**)

RECOMMENDED SI UNITS FOR TEXTILES

Sl Characteristic No.		SI Unit		Application
		Unit	Abbreviation	
(1) (2)	(3)	(4)	(5)
1.	Length	Millimetre Millimetre, centimetre	mm mm, cm	Fibres Samples, test specimens (as appropriate)
		Metre	m	Yarns, ropes, cordage, fabrics
2.	Width	Millimetre	m m	Narrow fabrics
		Centimetre	cm	Other fabrics
		Millimetre, centimetre	mm, cm	Samples, test specimens (as appropriate)
		Centimetre, metre	cm, m	Carpets, druggets, DURRIES (a s appropriate)
3.	Thickness	Micrometre (micron)	μm	Delicate fabrics
		Millimetre	mm	Other fabrics, carpets, felts
4.	Linear density	Tex	tex	Yarns
		Millitex	mtex	Fibres
		Decitex	dtex	Filaments, filament yarns
		Kilotex	ktex	Slivers, ropes, cordage
5.	Diameter	Micrometre (micron)	Pm	Fibres
		Millimetre	mm	Yarns, ropes, cordage

Sl	Characteristic	SI unit		Application
N_{iO} .	,	Unit	Abbreviation	
(1)	(2)	(3)	(4)	(5)
6.	Circumference	Millimetre	mm	Ropes, cordage
7.	Threads in fabric			Woven fabrics (as appropriate)
	a) Lengthwise	Number per centimetre	ends/cm	
		Number per decimetre	ends/dm	
	b) Widthwise	Number per centimetre	picks/cm	
		Number per decimetre	picks/dm	
8.	Warp threads in loom	Number per centimetre	ends/cm	Reeds
9.	Stitches in knitted fabric	:		Knitted fabrics (as appropriate)
	a) Lengthwise	Courses per centimetre	courses/cm	
		Courses per decimetre	courses/dm	
	b) Widthwise	Wales per centimetre	wales/cm	
		Wales per decimetre	wales/dm	
10.	Stitch length	Millimetre	mm	Knitted fabrics, made-up fabrics
11.	Mass per uni area	t Grams per square metre	g/m^2	Fabrics
12.	Mass per unit	Grams per metre	g/m	Fabrics

Sl Characteristic	SI Unit		Application
¥ ∩-~	Unit	Abbreviation	
(1) (2)	(3)	(4)	(5)
13. Twist	Turns per centimetre	turns/cm }	Yarns, ropes, cordage (as appropriate)
	Turns per metre	turns/m	ирргоргаде у
14. Test or gauge length	Millimetre, centimetre	mm, cm	Fibres, yarns and fabric specimens (as appropriate)
15. Breaking load	Millinewton	mN	Fibres, delicate yarns (indivi-
	Newton	N	dual or skeins) Strong yarns (individual or skeins), ropes, cordage, fabrics
16. Breaking length	Kilometre	km	Yarns
17. Tenacity	Millinewton per tex	mN/tex	Fibres, yarns (individual or skeins)
18. Twist factor or twist multi- plier	centimetre X square root of tex Turns per metre X square root of tex	$\left.\begin{array}{c} \text{turns/cm} \\ \mathbf{x} \sqrt{\text{tex}} \end{array}\right\}$ $\left.\begin{array}{c} \text{turns/m} \\ \times \sqrt{\text{tex}} \end{array}\right\}$	Yarns (as appropriate)
1. 9. Bursting strength	Newton per square centimetre	N/cm²	Fabrics

IS: 1101 - 1981

Sl Characteristic	ic SI Unit		Application	
$\mathcal{N}o$.	Unit	Abbreviation		
(1) (2)	(3)	(4)	(5)	
20. Tear strength	Millinewton, newton	mN, N	Fabrics (as appropriate)	
21. Pile height	Millimetre	mm	Carpets	
22. Pile density	Mass of pile yarn in grams per s q u a r e metre per millimetre pile height	g/m²/mm pile height	Pile carpets	
23. Elastic modulus	Millinewton per tex per unit deformation	mN/tex/unit deforma- tion	Fibres, yarns, strands	

(Continued from page 2)

Members

Representing

SHRI B. R. KOWSHIK

SHRI C. V. PRABHAKABAN Khadi SHRI M. V. RAMACHANDRA (Alternate)

SHRI S. RANGARAJAN

SENIOR EXECUTIVE & SPECIAL OFFICER
SENIOR MANAGER (PRODUCT

DEVELOPMENT) (Alternate)

Shri T. O. Thomas

Shri D. R. Yadav Shri V. C. Mathur (Alternate)

Textiles Committee, Bombay

Khadi & Village Industries Commission, Bombay

The Handicrafts and Handlooms Export Corporation of India Ltd, Madras

The Tamil Nadu Handloom Weavers'
Co-operative Society Ltd, Madras

Kerala State Handloom Weavers' Co-operative Society Ltd, Trivandrum Ministry of Defence (DGI)